

BLACKWELL



BLACKWELL ARABIA TRADING EST.

Supply of safety equipments and industrial materials



Welcom to Black Well.

We are the Saudi Arabia most recognized safety equipment and industrial materials supplies company. We have years of experience in serving the region's best Oil & Gas, Manufacturing and Constrution companies.

We invite you to browse trought our wide-range of products and services from world's leading manufatures.

VISION

To save life and property by supplying the best products in Fire Fighting Technology and to expand our operations to serve the global market utilizing the well established infrastructures in the Kingdom of SaudiArabia .

MISSION

To protect and conserve lives and properties from the danger of fire, to be known for reliability, flexibility, responsiveness, innovative products and services, and to crave a clear path towards customer satisfaction; then growth and financial success will naturally follow



BLACKWELL

SAFETY EQUIPMENTS

Lock out for Safety.
Failure to lock out may result in injury



Head Protection



Harness



Self Lock Carbinor, Single hook fall arrest layard & Fall Arrester



Harness Kit and Tripod With Winch



Eye protection Glass



Deluge Shower, Eye/Face Wash
Gravily Fed Eye Wash



Face Mask



Face Mask



Breathing Apparatus



Ear Defender



Ear Plugs



Rain Coat, Cold Storage Suit & Disposable Coverall



Disposable Coverall, Chemical Coverall & Chemical Apron



Safety Hood, Safety Winter Jacket, Welding Apron



Welding Jacket & Reflector Jacket



FRC Normal Coveralls & Normal FRC Shirt and Pants



Warning Tap



Warning Triangle & Temporary Signs and Sticker



Barrier, Expandable Barrier & Vehicle stopper



Signal Lights



Solar Signal Lights, Warning Lights, Cat Eye & Speed Ramps



Spring Back Cylinder, Traffic Cones, Rubber Wallguard & Rubber Corner



Convex Mirror, Road Stud Ceramic & Chains



Safety Footwares



Dectectors



Gloves




ARC Flash Kit



Lockout kit



Safty Pad lock, Lockout Box & Lockout Tag



Lockout Station



Push Button, Alarm, Fire Extingnusher, Fire Blanket, Fire Hose & Fire Helmet



Fire Hydrans and Valves, Fir Sprinkler Heads, Smok Heat Detector, Fir Bucket



Emergency Light, Fire Alaram Panel, Megaphone, Hand Operated Siren, Electrical Siren & Fire Recue Boot



Fire Jackets



Fire House Coupling and Nozzle



Fre Pump



Hex Bolt
6mm-36mm/1/4"-1 1/2"
GAL, BLACK, S.S



Hex NUT
6mm-36mm/1/4"-1 1/2"
GAL, BLACK, S.S



FLAT WASHER
6mm-36mm/1/4"-1 1/2"
GAL, BLACK, S.S



LOCK/SPRING WASHER
6mm-36mm/1/4"-1 1/2"
GAL, BLACK, S.S



SPRING NUT
SIZE RANGE: 6mm-20MM
GAL, S.S



LOCK NUT 6mm-24
GAL, BLACK, S.S



ANCHORS BOLTS
AVAILABLE TYPE
SGAL, CHROME COATED, S.S



COUPLING NUT
6mm-36mm/1/4"-1 1/2
AVAILABLE TYPES GAL, S.S



PIPE CLAMPS 1/2"-12"
AVAILABLE TYP ESGAL, S.S



U BOLTS
6mm-24mm/1/2"-1 1/2"
AVAILABLE TYPES GAL, S.S



SHACKLES
1/2"-12" AVAILABLE TYPE
SGAL, S.S



1"-12" AVAILABLE TYPES
PLOYSTER



Drilling Screws
1/2"-6" AVAILABLE TYPES



Hexagon Head Bolt Machine Screw
With Nut And Washer



Head Hexagon
Head Sems Screw



Tapping Screws
AVAILABLE TYPE
SGAL, S.S



Galvanize Carbon Steel Trox
Socket Pan Head Self Drilling Screw
Stainless Steel Flat Countersunk Head Self Drilling Screw



Pan Head Self Drilling Screw



Stainless Steel Torx head
Anti-theft Security & Galvanize
Carbon Steel Trox Socket
Pan Head Screw



Brass Screws
1/2"-2"
AVAILABLE TYPES BRASS



Stainless Steel Round Cross
Truss Head Self Drilling Screw



Phillips Hex Recess Truss
Countersunk Head
Self Drilling Screws




M8 M10 M12 Din580 Eye Screw
Bolt Drop Forged



Galvanized Steel Flange
Head Self drilling Screws

ZR Extra Flap Disc



Applications:	Specifications
Grinding Blending Finishing Deburring Deflashing Stock Removal	Max RPM = 13300 Glass fiber reinforced Material = Zirconia Grain Grit = 40, 60, 80 & 120 Grits available

ZR Flap Disc - Yellow



Grain	Backing Plate	Sizes		
Zirconia al. / Al. oxide	Glass fiber	100*16 (order only)	115*22	180*22(order only)
Grit	P40 P60	P80	P100	P120

Alox Flap Disc - Yellow



Grain	Backing Plate	Sizes			
Aluminium Oxide	Glass fiber	100*16	115*22	180*22(order only)	
Grit	P40 P60	P80	P100	P120	

Apple Alox Extra Flap Disc



Applications:	Specifications:
Metal Burrs & Welding Stainless Steel Working Heavy duty sanding Sanding & Preperation Metal	Max RPM = 13300 Glass fiber reinforced Material = Zirconia Grain Grit = 40, 60, 80 & 120 Grits Available

Radial Nonwoven Disc




Grain	Sizes		
Aluminium Oxide, Silicon Carbide	100*16 (order only)	115*22	
Grit	60	80	Very Fine

Fiber Disc



Applications:	Specifications:
Stock and rust removal, edge chamfering, welding, deburring/de"ashing, cleaning and Inishing	Size range: 4", 4.5", 7" GRIT RANGE: 24-220

Fiber Disc



Applications:	Specifications:
Ferrous Metal Non-Ferrous Metal Wood Fiberglass	5" Diameter, 7/8" Arbor Max RPM = 12,200 Material = Premium Aluminum Oxide 24 to 36 grit - coarse - for extra heavy deburring or grinding 60 to 120 grit - medium - for medium deburring and Inishing Heavy duty vulcanized Fiber backing

Abrasives Paper



Applications:	Specifications:
Automotive Marine & Comp Wood Building & Deco Special using for SS polishing	Size - 9 x 11 inches Grit - 60 to 5000 Packing - 50-100 pcs

Abrasives Paper



Applications:	Specifications:
Marine & Comp Wood Building & Deco Special using for automotive industry	Size - 9 x 11 inches Grit - 60 to 2000 Packing - 50-100 pcs

BLACKWELL

ABRASIVES

DRY PAPER

Wet & Dry Paper



Specification:
 Size - 9 x 11 inches
 Grit - 60 ,80,120,220, 320
 Packing - 50 pcs one packet

Abrasives Paper



Applications: Marine & Comp Wood Building & Deco Special using for automotive industry	Specifications: Size - 9 x 11 inches Grit - 60 to 2000 Packing - 50-100 pcs
---	---

Abrasives Paper



Applications: Wood & Furniture Walls & Dry walls Fine sanding on surface Special use for PU Painting	Specifications: Abrasives Paper Paper backing: C-wt craft paper Abrasive: Aluminium Oxide Grit: 240-600#
---	---

Aluminium Oxide Abrasive



Application Suggestions: Wood & Furniture Walls & Dry walls Fine sanding on surface	Specifications: Paper backing: C-wt craft paper Abrasive: Aluminium Oxide Grit: 120-800#
---	--

Abrasives Belt



Applications: Steel, wood, stainless steel, paint/varnish, NF Metal, Plastic, Glass	Specifications: Grain: Aluminium Oxide, Zirconia, Silicon Carbide Joint Types: Overlap Joint, Film on top Joint
---	--

Spindle Mounted Flap Wheel



Grit	40-80	100-120	Unit/Box
20*25*6			50pcs
25*25*6			50pcs
40*25*6			30pcs
50*30*6			25pcs
60*30*6			25pcs
60*40*6			10pcs
80*50*6			
* Customization can be made based on order			TBT

Wire Drawing Wheel



Nonwoven Rolls



Description	Thickness	Grit
Coarse	Thick	P100-120
Medium	Medium	P180-220
Fine	Thin	P280-320

Nonwoven Sheets And Discs



Nonwoven	Sheet	Grit
Coarse Medium Fine Very Fine	230mm*280mm	2 inch (special sizes can be made)


BEAMS & SECTIONS



PRODUCT	TYPE	DIMENSIONS	LENGTH
European I Beams	IPE, IPN	80MM - 600MM	6M - 12M
European Wide Flange	HEA, HEB	100MM - 1000MM	6M - 12M
British Universal Beam	UB	127MM - 1016MM	6M - 12M
British Universal Columns	UC	152MM - 356MM	6M - 12M
American Wide Flange	W	4" - 44"	6M - 12M
Japanese Beams	I-Beam, H-Beam	100MM - 600MM	6M - 12M
Light I Beams	IPE - AA	80MM - 220MM	6M - 12M

According to: EN 10025 S275JR / S355JR: 1993 / ASTM A36 / A572 G50 / ST 44-2 / ST52-3 / JIS G3101 SS400-1995


HOLLOW SECTION



PRODUCT	TYPE	DIMENSIONS	LENGTH
Square Tube	□	10X10X0.6 - 200X200X4	6M - 12M
Rectangular Tube	▭	10X25X0.6 - 150X100X4	6M - 12M
Round Pipe (ERW & Galvanized)	○	1/2" X0.6 - 6"X5	3M - 6M
Structural Square Hollow	◻	50X50X5 - 350X350X12	6M - 12M
Structural Rectangular Hollow	▣	80X40X5 - 300X200X12	6M - 12M

According to: ASTM A500 GR A / EN 10219-2 / ASTM A53 GR A,B


CHANNELS



PRODUCT	TYPE	DIMENSIONS	LENGTH
Japanese Standard Channels	U-Channel	20MM - 240MM	6M - 12M
European Standard Channels	UPN	20MM - 400MM	6M - 12M
Channel with Parallel Flanges	UPE	20MM - 400MM	6M - 12M
British Parallel Flanges Channel	PFC	100MM - 400MM	6M - 12M

According to: EN 10025 S275JR / S355JR: 1993 / ASTM A36 / A572 G50 / ST 44-2 / ST52-3 / JIS G3101 SS400-1995


MILD STEEL ANGLE & BARS



PRODUCT	TYPE	DIMENSIONS	LENGTH
Equal Angle	└	20X20X2 - 200X200X20	6M - 12M
Unequal Angle	└	40X20X4 - 200X100X15	6M - 12M
Flat Bar	—	12X3 - 300X50	6M
Square Bar	■	6X6 - 100X100	6M
T Bar	┬	20X20X3 - 100X100X11	6M
Round Bar (CF/HR)	●	6MM - 350MM	6M

According to: EN 10025 S275JR / S355JR: 1993 / ASTM A36 / A572 G50 / ST 44-2 / ST52-3 / JIS G3101 SS400-1995

FLAT PRODUCTS (COILS, SHEET & PLATES)



PRODUCT	THICKNESS	SHAPES	DIMENSIONS
Hot Rolled Plates	5MM - 100MM	Plates	1X2,1.22X2.44, 1.5X6,2X12,3X12, 2.44X12.2
Hot Rolled (Coils & Sheets)	1.2MM - 12MM	Sheets	1X2,1.22X2.44, 1.5X6,2X12, 2.5X12,,3X12, 2.44X12.2,
		Coils	1X1.22,1.5,2, 2.44, 3.
HR Checkered (Coils & Sheets)	1.6MM - 12MM	Sheets	1X2,1.22X2.44, 1.5X6
		Coils	1, 1.22, 1.5
HD Galvanized (Coils & Sheets)	0.30 - 4MM	Sheets	1X2, 1.22X2.44, 1.5X6(3&4MM)
		Coils	1, 1.22, 1.5(3&4MM)
Cold Rolled (Coils & Sheets)	0.35MM - 3MM	Sheets	1X2, 1.22X2.44
		Coils	1, 1.22
Electro Galvanized (Coils & Sheets)	0.45MM - 3MM	Sheets	1X2, 1.22X2.44
		Coils	1, 1.22
AluZinc (Coils & Sheets)	1MM - 2.5MM	Sheets	1X2, 1.22X2.44
		Coils	1, 1.22
PPGI (Coil & Corrugated Sheet)	0.3MM - 0.8MM	Sheets	1X(1,2,3,4,5,6)
		Coils	1.22


Hot Rolled Products: ASTM A36 /A 283GR C / A572 Gr 50 / SA516 GR 70 / ST 37-2 / ST44-2 / ST 52-3 / DIN 1.0345 HI/ S275JR / S235JR
Galvanized, Electro Galvanized, & PPGI Products According to: A653 (G90,60,40) / EN 10142 DX51D / JIS G3302 / 94 SGCC / JIS 3313
Cold Rolled Products According to: ASTM 366 / EN10130 FepPO1 / DIN 1623 ST 12 / JIS 3141 SPCC
AluZinc Products According to: ASTM A792M

SPECIAL STEEL, NON FERROUS MATERIALS & POLYMERIC MATTERIALS (ENGINEERING STEELS)




PRODUCT	QUALITY / GRADE	FORM
Carbon Steel	0.7MM - 10MM	● ■ ○ ■
Alloy Steel	2MM - 10MM	●
Cast Iron	3MM - 5MM	●
Chrome Hydraulic Shaft	1.2MM - 6MM	● ○
Hydraulic Cylinder	E335+SR/ISO H8	

MIACELLANEOUS ITEMS



PRODUCT	THICKNESS	SPECS / STANDARD	WIDTH RANGE
Perforated Sheets	0.7MM - 10MM	ISO 10630 - 7805/1.2	1000, 1250MM
Wire Screen	2MM - 10MM		1250MM
Gratings	3MM - 5MM		1000MM
Expanded Metal Sheets	1.2MM - 6MM		1000, 1220MM

STANLESS STEELS



PRODUCT	QUALITY / GRADE	FINISH	FORM
Stainless Steel	430/202L/304L/ 304/316L	1/2B/4/BA/8	
Heat Resistant (High Temp)	310S	Mill	
Stainless Steel Profile	304/304L/316L	Mill	
Decorative Stainless Steel	304/202L	HL / Mirror	
	304	Gold Mirror	
	304/316L / 202L	HL / Mirror	
	304	Mill / Mirror	
Art Service Stainless Steel	304	Etching	


Tool Steels




Non Ferrous Metal



Special Steel Plates



Piping Materials



Steel Pipe Fittings & Groved Accories



Valves





مؤسسة الابار السوداء العربية للتجارية توريد معدات السلامة والمواد الصناعية



King Abdullah Street | Dammam - 32275 | Saudi Arabia
شارع الملك عبدالله | الدمام ٣٢٢٧٥ | المملكة العربية السعودية